

DEQ - Distressed Sites Project
Site Data Sheet

RECEIVED
NOV 4 - 2004

GENERAL

Site name Henry County Solid waste permit number 320
Street address/location 3300 Kings Mountain Rd.
County/City Collinsville, Henry County Town/Community _____
Within corporate limits: Yes ☐ No ☒

SITE SPECIFICATIONS

Total acreage 54 Acreage suitable for use 33 Acreage restricted from use/disturbance 21
Zoning classification Government + Special Use Comprehensive plan designation Fieldale/Collinsville Growth Ar
Zoning restrictions: None
Paved areas on-site? Yes ☒ No ☐ Size of paved areas 5,000 sq. ft. (RC Airplane Runway)
Existing structures on-site? Yes ☒ No ☐ Type of structure Firing range,

ENVIRONMENTAL FEATURES

Terrain: Ground cover: Cleared 50 % Wooded 50 % Crop 0 %
Slope: Level ☐ Gently rolling ☐ Hilly ☒ Rock outcroppings ☐
Percentage of site in 100 year flood plain 0 % Soil borings available: Yes ☒ No ☐
U.S. Army Corps Certified Wetlands study available: Yes ☐ No ☒ Date certified: _____
Phase 1 Environmental audit available: Yes ☐ No ☒ Brownfield: Yes ☐ No ☒
Archaeological assessment: Yes ☐ No ☒
Storm water management plan: Yes ☐ No ☒ Rare & endangered species management plan: Yes ☐ No ☒
Solid waste management practice(s) that have previously occurred at the site:

Treatment/Storage: Compositing ☐ Transfer Station ☐ Materials Recovery ☐
Energy Recovery/Incineration ☐ Surface Impoundment(s)/Lagoon(s) ☐
Waste Pile(s) ☒ Remediation Unit ☐ Landfill Mining ☐ Miscellaneous Unit ☐
Disposal: Sanitary Landfill ☒ Construction/Demolition/Debris Landfill ☐ Industrial Landfill ☐

Permit number(s) under which above activities occurred (see general info above): 320
Has solid waste been landfilled or disposed of on-site? Yes ☒ No ☐ If YES, complete remainder of this section
Survey plat available indicating location/dimension of landfill disposal area(s)? Yes ☒ No ☐
Survey plat include and identify monitoring well locations by number? Yes ☒ No ☐
Survey plat include prominently displayed note stating future obligation to restrict disturbance of site? Yes ☐ No ☒
Deed notification notifying potential user that land used to manage solid waste and use restricted? Yes ☐ No ☐
Total acreage restricted from use/disturbance due to waste disposal & associated monitoring/maintenance 21 acres
Other non-disposal features on-site that can not be disturbed? Yes ☒ No ☐ If YES, check appropriate features:
Run-on/off control system: Ditching ☒ Sediment traps/ponds ☒
Monitoring system: Groundwater wells ☒ Decomposition (methane) gas wells ☐
Remediation system: Groundwater ☐ Decomposition (methane) gas ☐
Indication of groundwater quality impacts at site due to waste management/disposal? Yes ☐ No ☐
Methane gas detected at the site? Yes ☐ No ☒ Methane levels being controlled? Yes ☒ No ☐

UTILITIES

Electric Power

Name of supplier AEP On site: Yes ☐ No ☒
Distance to distribution line 2500 ft. Voltage 220 V Phase 3

Natural Gas

Name of supplier SW Virginia Gas On Site: Yes ☐ No ☒
Distance from site _____ ft. Line size _____ in. Pressure _____

Water

Name of public service provider PSA
Served by public water? Yes ☐ No ☒ Distance from site 2500 ft. Line size 12 in.
Are wells on site? Yes ☐ No ☒ Name of treatment facility USR Water Filtration Plant

Surface Water

Name of source Smith River Capacity 4.0 gpd

Waste Water Treatment

Name of public service provider PSA
Served by public sewer? Yes ☒ No ☐ Distance from site 2500 ft. Line size _____ in.
Septic systems practical? Yes ☒ No ☐ Receiving stream on or adjacent to site? Yes ☒ No ☒
for existing WWTP

Telecommunications

Name of supplier Sprint Digital switching: Yes ☐ No ☐ ?
ISDN: Yes ☐ No ☐ Fiber optic lines on site? Yes ☐ No ☒ Distance to fiber optic lines ? ft.
Other (e.g., POPs, SMDS, Centrex) _____

SUPPORTING INFORMATION

Plat/Survey: Yes ☒ No ☐ Site/Master Plan: Yes ☐ No ☐ Photos: Yes ☐ No ☐

TRANSPORTATION

Railroad

Rail access? Yes ☐ No ☒ Name of railroad _____
Type of line _____ Can rail siding be installed? Yes ☐ No ☐ Distance from site _____ ft.

Highway

Distance to nearest interstate interchange 60 mi. Interstate name I 40
Interchange name Greensboro Exit number _____
Distance to nearest 4-lane arterial 1/4 mi. Name and route number Kings Mt. Rd
Name and route number of highway or street serving site Kings Mountain Road
Industrial access road needed? Yes ☐ No ☐ Possibly ☐ Will owner dedicate right-of-way? Yes ☐ No ☐
Possibly

Public Transportation

Name of service provider N/A

Air

Distance to nearest commercial airport 60 mi. Name Greensboro or Roanoke
Distance to nearest general aviation airport 15 mi. Name Blue Ridge (Spencer, VA)
Runway length of general aviation airport _____ ft.

Water

Name of navigable waterway ~~Smith~~ N/A
Depth of channel _____ ft.

OWNERSHIP

Ownership: Private ☐ Public (or under option by public body) ☒

Owner Henry County (Benny Summerlin / Administrator)

Principal contact Michael Ward

Address 3300 Kings Mountain Rd.
Collinsville, VA 24078

Information submitted by Michael E. Ward

Authorizing Signature Michael E. Ward

Phone 276-634-4603

Phone 276-634-2540

Fax 276-638-7970

E-mail mward@co.henry.va.us

Date 10/29/2004

To be included in our web accessible database,

A vicinity map or topographic map showing the boundaries of the site should be available for review by potential users. A tax map may be a useful substitute. A certified survey and site plan, including size and location of water, sewer, gas, and electrical lines, and a color photograph of the site should also be available for review by potential users. Digital photos are recommended to assist potential users with their review. This form must be signed by authorized personnel prior to posting information on web accessible database. This signed form should be returned to Shawn Davis at:

VIRGINIA DEPARTMENT OF ENVIRONMENTAL QUALITY

P. O. Box 10009

Richmond, Virginia 23240-0009

Phone: (804) 698-4471

Fax: (804) 698-4327

Email: sedavis@deq.virginia.gov